Reviewed on 06/11/2016 Printing date 06/11/2016

1 Identification

- · Product identifier
- · Trade name:
- · Article number: 2573
- · Application of the substance / the mixture Water treatment
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- · Information department: Product safety department.
- · Emergency telephone number:

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS05
- · Signal word Danger
- · Hazard-determining components of labeling:

Sodium hydroxide

morpholine

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dust.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If swallowed: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 $\frac{4}{1}$ Health = 4 Fire = 1

(Contd. on page 2)

Printing date 06/11/2016 Reviewed on 06/11/2016

Trade name:

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
1310-73-2	Sodium hydroxide	2.5-10%
110-91-8	morpholine	2.5-10%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

DO NOT DELAY!

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

DO NOT DELAY!

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

DO NOT DELAY!

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Do not induce vomiting; immediately call for medical help.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \ \, \textbf{Indication of any immediate medical attention and special treatment needed} \\$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

- US

Printing date 06/11/2016 Reviewed on 06/11/2016

Trade name:

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep ignition sources away - no smoking.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to penetrate the ground/soil.
- · Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Pick up mechanically.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product.

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Do not store in aluminium, copper, zinc containers.

· Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from foodstuffs.

Do not store together with acids.

- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

1310-	1310-73-2 Sodium hydroxide				
	Long-term value: 2 mg/m ³				
REL	Ceiling limit value: 2 mg/m³				
TLV	Ceiling limit value: 2 mg/m³				
110-9	1-8 morpholine				
PEL	Long-term value: 70 mg/m³, 20 ppm				
	Skin				
	(Contd. on page 4)				

(Contd. on page 4

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/11/2016 Reviewed on 06/11/2016

Trade name:

REL Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm

Skin

TLV Long-term value: 71 mg/m³, 20 ppm

Skin

· Additional Occupational Exposure Limit Values for possible hazards during processing:

1310-73-2 Sodium hydroxide

PEL Long-term value: 2 mg/m³
REL Ceiling limit value: 2 mg/m³
TLV Ceiling limit value: 2 mg/m³

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Do not breath dust

· Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection:

Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

US

Printing date 06/11/2016 Reviewed on 06/11/2016

Trade name:

(Contd. of page 4)

9 Physical and chemical properties					
Information on basic physical and chemical properties					
General Information					
· Appearance: Form:	Solid				
Color:	White				
· Odor:	Amine-like				
· Odor threshold:	Not determined.				
· pH-value (10 g/l) at 20 °C (68 °F):	11.5				
· Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	Undetermined.				
· Flash point:	>93 °C (>199 °F)				
· Flammability (solid, gaseous):	Not determined.				
· Ignition temperature:					
Decomposition temperature:	Not determined.				
· Auto igniting:	Product is not selfigniting.				
· Danger of explosion:	Product does not present an explosion hazard.				
· Explosion limits:					
Lower:	Not determined.				
Upper:	Not determined.				
· Vapor pressure:	Not applicable.				
· Density:	Not determined.				
· Relative density	Not determined.				
· Vapor density	Not applicable.				
· Evaporation rate	Not applicable.				
· Solubility in / Miscibility with					
Water:	Soluble.				
· Partition coefficient (n-octanol/water	r): Not determined.				
· Viscosity:					
Dynamic:	Not applicable.				
Kinematic:	Not applicable.				
· Solvent content:					
VOC content:	23.0 %				
	0.0 g/l / 0.00 lb/gl				
· Other information	No further relevant information available.				

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· Possibility of hazardous reactions

The product is a strong base, it reacts violently with acid and is corrosive. Reacts violently with strong oxidants causing fire hazard.

Reaction with nitrosating agents (e.g. nitrites, nitrous acid, nitrous gases) can release cancerogenic nitrosamines.

(Contd. on page 6)

Printing date 06/11/2016 Reviewed on 06/11/2016

Trade name:

(Contd. of page 5)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Strong acids and oxidising agents

Substances specifically listed in section 10.3 as incompatible.

· Hazardous decomposition products:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Sulfur oxides (SOx)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

ROUTES OF EXPOSURE: The component substances can variously be absorbed into the body by inhalation, through the skin and by ingestion.

EFFECTS OF SHORT-TERM EXPOSURE: The product is corrosive to the eyes, the skin and the respiratory tract. Corrosive on ingestion. May cause effects on the central nervous system.

 $\cdot \ Carcinogenic \ categories$

· IARC (International Agency for Research on Cancer)

110-91-8 morpholine

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability The organic portion of the product is biodegradable.
- \cdot Behavior in environmental systems:
- · Bioaccumulative potential Product is not expected to bioaccumulate.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 7)

Printing date 06/11/2016 Reviewed on 06/11/2016

Trade name:

(Contd. of page 6)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packagings:
- · Recommendation:

Container remains hazardous when empty. Continue to observe all precuations.

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	UN1759
DOT, ADR, IMDG, IATA	UN1739
UN proper shipping name DOT	Corrosive solids, n.o.s. (Morpholine, Sodium hydroxide)
ADR	1759 Corrosive solids, n.o.s. (Morpholine, Sodium hydroxide)
IMDG, IATA	CORROSIVE SOLID, N.O.S. (MORPHOLINE, SODIU
	HYDROXIDE)
Transport hazard class(es)	
DOT	
OORROSIVE 3	
Class	8 Corrosive substances
Label	8
ADR, IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.

Printing date 06/11/2016 Reviewed on 06/11/2016

Trade name:

(Contd. of page 7)

Danger code (Kemler):
EMS Number:
Segregation groups
Stowage Category

80
F-A,S-B
Alkalis
A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

· IMDG

Limited quantities (LQ)
 Excepted quantities (EQ)
 Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

· UN "Model Regulation": UN 1759 CORROSIVE SOLIDS, N.O.S. (MORPHOLINE,

SODIUM HYDROXIDE), 8, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- \cdot Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

110-91-8 morpholine

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05

(Contd. on page 9)

Reviewed on 06/11/2016 Printing date 06/11/2016

Trade name:

· Signal word Danger

(Contd. of page 8)

· Hazard-determining components of labeling:

Sodium hydroxide morpholine

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dust.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If swallowed: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water.

· National regulations:

Class	Share in %
Wasser	31.1
NK	5.7

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 06/11/2016 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1